

Interim Catalogue 1914

*Aktiebolaget L. M. Ericsson & Co.*

STOCKHOLM · SWEDEN



TELEPHONE ACCESSORIES

*Aktiebolaget L. M. Ericsson & Co.*

STOCKHOLM (SWEDEN)

WORKS: 5, 15, 17 & 19 TULEGATAN

OFFICE: 18 DÖBELNSGATAN

---

TELEPHONE ACCESSORIES

---

TELEGRAPHIC ADDRESS: MIKROFON

CODES USED: WESTERN UNION, A B C, 4th AND 5th EDITIONS, LIEBER'S AND A 1




WALD, ZACHRISSONS BOKTRYCKERI A.-B.  
GÖTEBORG 1914



No. 425

## Extension Bells

- No. 425 with 300 ohms resistance.  
Code word: **Currycomb.**  
No. 426 with 1000 ohms resistance.  
Code word: **Currying.**  
No. 427 with 2000 ohms resistance.  
Code word: **Cursitor.**




No. 430

## Large Extension Bells

- No. 430 with cover; the resistance is 300 ohm.  
Code word: **Curtail.**  
No. 431 without cover; the resistance is 300 ohm.  
Code word: **Curtailling.**  
No. 432 with cover; the resistance is 1000 ohm  
Code word: **Curtilage.**  
No. 433 with cover; the resistance is 2000 ohm.  
Code word: **Curtness.**

## Large Extension Bells



No. 436

- No. 436 with cover; the resistance is 300 ohm.  
Code word: **Curvature.**  
No. 437 without cover; the resistance is 300 ohm.  
Code word: **Cushion.**  
No. 438 with cover; the resistance is 1000 ohm.  
Code word: **Cusped.**  
No. 439 with cover; the resistance is 2000 ohm.  
Code word: **Cuspidate.**



No. 419

## Battery Bell

- No. 419 with 40 ohms resistance.  
Code word: **Curious.**

## Handmicrotelephones

for wall and table telephones with cradle switch.

a) Without battery key in the handle.



No. 531

No. 531 with 4-way cord No. 2050 and special connecting loops.  
Code word: **Huge**.

No. 529 with 4-way cord No. 2061 and 4-way plug.  
Code word: **Hueless**.

No. 505 with 5-way cord No. 2067 and 5-way plug with jack. The receiver is differentially wound. Code word: **Gurnard**.

b) With battery key in the handle.

No. 520 with 4-way cord No. 2052 and special connecting loops. Code word: **Hovel**.

No. 491 with 4 way cord No. 2052 and 4-way plug with jack.  
Code word: **Guessing**.

No. 500 with 5 way cord No. 2066 and 5-way plug with jack.  
The receiver is differentially wound.

Code word: **Gunnery**.



No. 520

## c) With switch and battery key in the handle.



No. 525

No. 525 with 4-way cord No. 2142 and special connecting loops.

Code word: **Hubbub.**

No. 523 with 4-way cord No. 2182 and 4-way plug.

Code word: **Howker.**

## d) For portable telephones.

No. 492 with 4-way waterproof cord No. 2162 and switch in the handle. For telephone No. 390.

Code word: **Guidance.**

No. 493 with 4-way waterproof cord No. 2142 A and switch in the handle. For telephone No. 391.

Code word: **Guidepost.**

## Handmicrotelephones

fitted with a suspending eye.

## a) Without battery key in the handle.

No. 532 with 4-way cord No. 2050 and special connecting loops.

Code word: **Hugeness.**

No. 530 with 4 way cord No. 2061 and 4-way plug.

Code word: **Huffish.**

No. 510 with 5-way cord No. 2067 and 5-way plug with jack.

The receiver is differentially wound.

Code word: **Gymnast.**



No. 530.


## b) With battery key in the handle.

- No. 521 with 4-way cord No. 2052 and special connecting loops. Code word: **Hovering.**  
 No. 515 with 4-way cord No. 2126 and 4-way plug. Code word: **Houseleek.**  
 No. 494 with 4-way cord No. 2052 and 4-way plug with jack. Code word: **Guis.**  
 No. 501 with 5-way cord No. 2066 and 5-way plug with jack. The receiver is differentially wound.  
 Code word: **Gunshot.**

## c) With switch and battery key in the handle.

- No. 522 with 4-way cord No. 4142 and special connecting loops. Code word: **Howitzer.**  
 No. 524 with 4-way cord No. 2182 and 4-way plug. Code word: **Howling.**

## Telescopic Handmicrotelephone



No. 496

with 4-way cord No. 2159. For portable telephones Nos. 392 & 394. Code word: **Gullyhole.**



Nos. 540 &amp; 541

## Operators' Instruments

No. 540 Breastplate transmitter with 5-way cord No. 2065.

Weight 0,44 ko. Code word: **Humbleness.**

No. 541 Differentially wound head gear receiver with 3-way cord No. 2043.

Weight 0,26 ko. Code word: **Humbler.**

No. 535 Breastplate transmitter with 4-way cord No. 2054.

Weight 0,4 ko. Code word: **Hulver.**

No. 536 Head gear receiver with 2-way cord No. 2041.

Weight 0,25 ko. Code word: **Human.**

## Head gear receiver

differentially wound with 3-way cord No. 2042. Weight 0,13 ko. Code word:

**Humbling.**



No. 542

## Receivers




No. 545



No. 547



No. 549



No. 550




No. 551




No. 552

No. 545 without cord. Code word: **Humid.**  
 No. 546 with cord No. 2030. Code word: **Humidness.**  
 No. 547 without cord. Code word: **Humiliate.**  
 No. 548 with cord No. 2030. Code word: **Humility.**  
 No. 549 with cord No. 2036. Code word: **Humming.**

No. 550 Watch receiver with cord No. 2094.  
 Code word: **Humoral.**  
 No. 551 Watch receiver with cord No. 2035 with tags or  
 cord No. 2113 with loops. Code word: **Humorific**  
 No. 552 Pocket receiver with cord No. 2036.  
 Code word: **Humorist.**



No. 575



No. 576


## Carbon Grain Transmitters

No. 570 without bracket for use on telephones of our manufacture. Code word: **Hushaby.**

No. 571 with bracket for use on telephones of our manufacture. Code word: **Huskiness.**

No. 575 with bracket for substituting the Blake transmitter on Bell telephones. Code word: **Hyacinth.**


No. 576 for substituting the Blake transmitter on Bell telephones. Code word: **Hyalite.**



No. 475

## Large Generators


No. 475 for 60—70 volts. Code word: Eyeglass.  
 No. 476 for 80—90 volts. Code word: Eyelash.



No. 477

## Large Handgenerator

will ring through 30 bells shunted on the line  
 Code word: Eyelet.



## Magneto-Generators

No. 478 with five magnets.

Code word: **Eyelids.**

No. 482 similar to No. 478, but with the spindle movable in a longitudinal direction.

Code word: **Groundrent.**

No. 479 with four magnets.

Code word: **Eyesight.**

No. 483 similar to No. 479, but with the spindle movable in a longitudinal direction. For table telephones.

Code word: **Groundsel.**

No. 484 similar to No. 479, but with the spindle movable in a longitudinal direction. For wall telephones.

Code word: **Grubbing.**

No. 480 with three magnets.

Code word: **Eyesore.**

No. 486 similar to No. 480, but of a weaker construction.

Code word: **Gruel.**

No. 487 similar to No. 480, but with the spindle movable in a longitudinal direction. For table telephones.

Code word: **Gruelpot.**

No. 488 similar to No. 480, but with the spindle movable in a longitudinal direction. For wall telephones.

Code word: **Grumbling.**

No. 481 with two magnets.

Code word: **Groundplot.**

No. 489 similar to No. 481, but with centrifugal short-circuiting arrangement.


Code word: **Guardedly.**




No. 485

## Testing Sets

- No. 485 with 3-magnet generator and bell.  
Weight 3,34 ko. Code word: **Grudgeons**.
- No. 446 with 5-magnet generator in a wooden case.  
Weight 4,9 ko. Code word: **Cutlet**.
- No. 447 with 3-magnet generator in a wooden case.  
Weight 3,8 ko. Code word: **Cutpurse**.



No. 585



No. 590

## Leclanché Cells

- No. 585. Dimensions 160×95×95 mm. This size is suitable for large size wall telephones. 120 grammes of sal ammoniac to be used.  
Weight 1,20 ko. Code word: **Hydrology**.
- No. 590. Dimensions 150×95×55 mm. This size is suitable for ordinary and small size wall telephones. 60 grammes sal ammoniac to be used.  
Weight 0,90 ko. Code word: **Hymeneal**.

## Dry Cells

No. 595. Dimensions  $160 \times 85 \times 85$  mm. For large size telephones.

Weight 1,40 ko. Code word: **Hypnology.**



No. 595

No. 596. Dimensions  $170 \times 95 \times 50$  mm. For ordinary and small size wall telephones.


Weight 1,0 ko. Code word: **Hypocaust.**



No. 596



No. 597



No. 600



No. 601



No. 602



No. 603

## Dry Cells

No. 597. Dimensions  $160 \times 72$  mm. (oval shaped). For telephone No. 361.

Weight 1,2 ko. Code word: **Hipocrisy.**

No. 600. Dimensions  $125 \times 55 \times 55$  mm. For portable telephones Nos. 390 and 391.

Weight 0,56 ko. Code word: **Hypotheca.**

No. 601. Dimensions  $125 \times 40 \times 40$  mm. For portable telephone No. 390 (old pattern).

Weight 0,27 ko. Code word: **Hypothesis.**

No. 602. Dimensions  $95 \times 60 \times 30$  mm. For portable telephone No. 394.

Weight 0,29 ko. Code word: **Hyssop.**

No. 603. Dimensions  $95 \times 70 \times 37$  mm. For portable telephone No. 392.

Weight 0,355 ko. Code word: **Hysteria.**



No. 845

### Meidinger's battery

No. 845. Dimensions 177 × 117 mm.

Weight 1,44 ko. Code word: **Mugolava.**



No. 420

### Battery boxes


for Leclanché or dry cells.

No. 420 for two cells No. 590 or 596

Code word: **Curled.**

No. 421 for two cells No. 585 or 595.

Code word: **Curly.**



No. 422

No. 422 for three cells No. 585 or 595.

Code word: **Curmudgeon.**

No. 423 similar to No. 422, but for four cells No. 585 or 595.

Code word: **Currency.**



No. 605



No. 606

## Switches

No. 605. Single-pole 2-way. Code word: **Irksome.**


No. 606. Single-pole 3-way. Code word: **Ironed.**

No. 611. Single-pole 4-way. Code word: **Ironmonger.**

No. 607. Double-pole 2-way. Code word: **Irongate.**

No. 608. Double-pole 3-way. Code word: **Ironholder.**

No. 609. Double-pole 4-way. Code word: **Ironically.**



No. 607




No. 611




No. 612



No. 610



No. 615



No. 620

## Circular Selector Switch

No. 612 for 5 contacts. Code word: **Ironmould.**

Obs. Made for any number of lines.

### Key

No. 610. Code word: **Ironman.**

## Translators

No. 615 intended for use between single and metallic circuits.

Code word: **Irregular.**

No. 620 intended for duplex working.

Code word: **Irritant.**

